



VINYL COMPOSITION TILE

# STANDARD EXCELON®

Imperial® Texture

# PREMIUM EXCELON®

Crown Texture™ | Stonetex® | Feature™ Tile & Strips  
Raffia® Stream™ with Diamond 10® Technology



# A Classic, Economical Value.

Armstrong Flooring creates products that push the limits of color, pattern, performance, and sustainability to meet the multiple demands of modern interiors. Developed through our Continuum Solutions™, Excelon® VCT harmonizes with other products across the entire Armstrong Flooring portfolio to help you execute your design intent.

The durable construction ensures lasting beauty in high-traffic areas, while flowing linear patterns, organic looks, and densely patterned earth tones effectively mask scuffs and soil in busy spaces. Colors range from vivid hues to quiet neutrals with a large selection of light-reflective colors that can have a big impact on energy reduction strategies and savings.

With Excelon® VCT having one of the lowest carbon footprints among all our resilient flooring products, it is an ideal choice for hallways, classrooms and cafeterias, mass market retailers and grocery stores, restaurants, and a wide range of public environments. It's versatile, durable, and easy to maintain using standard maintenance protocols.

**Premium Excelon® Raffia® Stream™ is available with Diamond 10® Technology. Keep tile floors looking newer longer, and with lower maintenance costs.**





## Trusted Long Term Performance.

- Decades of proven performance and durability
- Leader in the industry for over 50 years
- High quality with a reliable limited warranty

## Healthy Environments.

- Free of Ortho-Phthalates\* and Heavy Metals
- Low VOC Emissions and FloorScore® certified
- Composed of 85% North American limestone
- Recyclable through the On&On® Recycling Program
- Third-party certified Environment Product Declaration (EPD)
- Health Product Declaration (HPD)
- Helps conserve energy when high light-reflective colors are selected


\* Select product lines are ortho-phthalate free, with the exception of recycled content.

### Exclusive Fast Start® Factory Finish

- Protective layer during installation
- Makes initial maintenance quick and easy

### Through-Color/Pattern Wear Layer

- Pattern/color wear performance:
  - High durability
  - Scuff resistance
  - Rolling load impact resistance
  - Appearance retention




### Standard Excelon® Imperial® Texture

51938 willow green; 57537 alligator; 57539 shoreline;  
57542 tropical green; 57546 lime zest; 57547 eucalyptus

VINYL COMPOSITION TILE

Standard Excelon® Imperial® Texture

57518  
white out



12 in. x 12 in.

51933  
blue cloud




12 in. x 12 in.

52514  
jubilee white



12 in. x 12 in.

51941  
polar white



12 in. x 12 in.

51929  
sandy beach



12 in. x 12 in.

52513  
cirque white



12 in. x 12 in.

52500  
carnival white



12 in. x 12 in.

52505  
harlequin white



12 in. x 12 in.

51899  
cool white



12 in. x 12 in.

51911  
classic white



12 in. x 12 in.

59234  
silk



12 in. x 12 in.

51836  
shelter white



12 in. x 12 in.

59237  
tracery




12 in. x 12 in.

51839  
fortress white



12 in. x 12 in.

52520  
faire white




12 in. x 12 in.

51876  
mint cream



12 in. x 12 in.

51810  
washed linen



12 in. x 12 in.

51811  
antique white



12 in. x 12 in.

51858  
sandrift white



12 in. x 12 in.

51809  
desert beige



12 in. x 12 in.

51873  
brushed sand



12 in. x 12 in.

51908  
pewter



12 in. x 12 in.

51877  
earth green



12 in. x 12 in.

51883  
dusty miller



12 in. x 12 in.

59236  
linseed



12 in. x 12 in.

51805  
camel beige



12 in. x 12 in.

57501  
nougat



12 in. x 12 in.

51801  
doeskin peach



12 in. x 12 in.

51905  
hazelnut



12 in. x 12 in.

57502  
café latte



12 in. x 12 in.

51830  
cottage tan



12 in. x 12 in.

51928  
pebble tan



12 in. x 12 in.



VINYL COMPOSITION TILE

Standard Excelon® Imperial® Texture

51804  
earthstone greige



12 in. x 12 in.

51901  
taupe



12 in. x 12 in.

51803  
pearl white



12 in. x 12 in.

57504  
chocolate



12 in. x 12 in.

59243  
tannin




12 in. x 12 in.

51868  
smokey brown



12 in. x 12 in.

59240  
peat



12 in. x 12 in.

51927  
field gray



12 in. x 12 in.

51904  
sterling



12 in. x 12 in.

51915  
charcoal



12 in. x 12 in.

51861  
soft warm gray



12 in. x 12 in.

51860  
soft cool gray



12 in. x 12 in.

51807  
shadow blue



12 in. x 12 in.

51903  
blue/gray



12 in. x 12 in.

51932  
lunar blue



12 in. x 12 in.

51916  
dutch delft



12 in. x 12 in.

51820  
marina blue



12 in. x 12 in.

51946  
genietan blue



12 in. x 12 in.

51910  
classic black



12 in. x 12 in.

57531  
go blue



12 in. x 12 in.

57535  
blue moon



12 in. x 12 in.

51821  
caribbean blue



12 in. x 12 in.

57541  
bay blue



12 in. x 12 in.

57539  
shoreline



12 in. x 12 in.

51824  
sea green



12 in. x 12 in.

57542  
tropical green



12 in. x 12 in.

57537  
alligator



12 in. x 12 in.

57546  
lime zest



12 in. x 12 in.

57510  
kickin' kiwi



12 in. x 12 in.

51812  
lemon yellow



12 in. x 12 in.

57509  
lemon lick



12 in. x 12 in.

57536  
sun gold



12 in. x 12 in.



**Standard Excelon® Imperial® Texture**  
51929 sandy beach; 57517 bodacious blue  
57531 go blue; 57535 blue moon

VINYL COMPOSITION TILE

Standard Excelon® Imperial® Texture

57516  
screamin' pumpkin



12 in. x 12 in.

57538  
heat wave



12 in. x 12 in.

57534  
ruby red



12 in. x 12 in.

51880  
maraschino



12 in. x 12 in.

51816  
cherry red



12 in. x 12 in.

51814  
pomegranate red



12 in. x 12 in.

57514  
shocking



12 in. x 12 in.

57545  
wineberry



12 in. x 12 in.

57530  
crimson



12 in. x 12 in.

57544  
adobe



12 in. x 12 in.

57533  
tiger eyes



12 in. x 12 in.

51800  
buttercream yellow



12 in. x 12 in.

51878  
golden



12 in. x 12 in.

59241  
honey



12 in. x 12 in.

51869  
humus



12 in. x 12 in.

59244  
patina



12 in. x 12 in.

51942  
curried caramel



12 in. x 12 in.

59235  
impasto



12 in. x 12 in.

51866  
little green apple



12 in. x 12 in.

51885  
granny smith




12 in. x 12 in.

51881  
blueberry



12 in. x 12 in.

51874  
grayed blue



12 in. x 12 in.

57506  
colorado stone




12 in. x 12 in.

57548  
cypress



12 in. x 12 in.

51938  
willow green



12 in. x 12 in.

51872  
tea garden green




12 in. x 12 in.

51906  
teal



12 in. x 12 in.

51802  
silver green



12 in. x 12 in.

51875  
mid grayed blue



12 in. x 12 in.

57547  
eucalyptus



12 in. x 12 in.

51947  
basil green



12 in. x 12 in.

57532  
grayson



12 in. x 12 in.

VINYL COMPOSITION TILE

Standard Excelon® Imperial® Texture

51882  
serene blue



12 in. x 12 in.

57508  
blue dreams



12 in. x 12 in.

57517  
bodacious blue




12 in. x 12 in.

59230  
victoria blue



12 in. x 12 in.

57551  
perfect storm



12 in. x 12 in.

57543  
lavender fields



12 in. x 12 in.




Standard Excelon® Imperial® Texture  
51810 washed linen; 51814 pomegranate red; 57514 shocking  
57536 sun gold; 57544 adobe; 59236 linseed

VINYL COMPOSITION TILE

Premium Excelon® Crown Texture™

5C234  
silk



12 in. x 12 in.

5C811  
antique white



12 in. x 12 in.

5C858  
sandrift white



12 in. x 12 in.

5C805  
camel beige



12 in. x 12 in.

5C899  
cool white



12 in. x 12 in.

5C803  
pearl white



12 in. x 12 in.

5C236  
linseed



12 in. x 12 in.

5C904  
sterling



12 in. x 12 in.

5C861  
soft warm gray



12 in. x 12 in.

5C237  
tracery



12 in. x 12 in.

5C908  
pewter



12 in. x 12 in.

5C240  
peat



12 in. x 12 in.

5C901  
taupe



12 in. x 12 in.

5C868  
smokey brown



12 in. x 12 in.

5C915  
charcoal



12 in. x 12 in.

5C910  
classic black



12 in. x 12 in.

5C878  
golden



12 in. x 12 in.

5C866  
little green apple



12 in. x 12 in.

5C875  
mid grayed blue



12 in. x 12 in.

5C230  
victoria blue



12 in. x 12 in.

5C880  
maraschino



12 in. x 12 in.



VINYL COMPOSITION TILE

Premium Excelon® Stonetex®

52140  
chalk white



12 in. x 12 in.

52126  
gravel blue



12 in. x 12 in.

52160  
hematite



12 in. x 12 in.

52139  
limestone beige



12 in. x 12 in.

52125  
granite gray



12 in. x 12 in.

52161  
charcoal



12 in. x 12 in.

52144  
coal black



12 in. x 12 in.

52127  
stone white



12 in. x 12 in.

52122  
pebble gray



12 in. x 12 in.

52147  
pumice stone



12 in. x 12 in.

52128  
desert dust



12 in. x 12 in.

52143  
sandstone tan



12 in. x 12 in.

52149  
cocoa brown



12 in. x 12 in.

52166  
mochaccino



12 in. x 12 in.

52155  
forest moss




12 in. x 12 in.

VINYL COMPOSITION TILE

Premium Excelon® Feature™ Tile & Strips

chalk II



56830 12 in. x 12 in.  
50830 2, 4, 6 in. x 24 in.

yellow II



56823 12 in. x 12 in.  
50823 2, 4, 6 in. x 24 in.

blue II



56812 12 in. x 12 in.  
50812 2, 4, 6 in. x 24 in.

red II




56806 12 in. x 12 in.  
50806 2, 4, 6 in. x 24 in.

black I



56790 12 in. x 12 in.  
50790 2, 4, 6 in. x 24 in.





## Premium Flooring. Reduced Cost of Ownership.

Premium Excelon® Raffia® Stream™ with Diamond 10® Technology keeps your floors looking newer longer at a lower maintenance cost than traditional VCT.

Patented Diamond 10® Technology provides a protective coating, requiring fewer coats of floor polish to maintain your floor, reducing the cost of ownership significantly over the life of your floor.

## Look Down for Savings.

Premium Excelon® Raffia® Stream™ with Diamond 10® Technology reduces the cost of ownership by:

- Reducing the initial application of polish by 50%
- Eliminating or reducing restorative stripping
- Maximizing gloss level with three coats of high-quality commercial floor polish


### Premium Excelon® Raffia® Stream™

#### Diamond 10® Technology— cultured diamond-infused coating

- Provides a protective coating to reduce cost of ownership

#### Through-Color/Pattern Wear Layer

- Pattern/color wear performance:
  - High durability
  - Gauge resistance
  - Rolling load impact resistance
  - Appearance retention



Premium Excelon® Raffia® Stream™  
with Diamond 10® Technology  
Z5900 avalanche; Z5923 dark sky



VINYL COMPOSITION TILE

Premium Excelon® Raffia® Stream™ 

Z5900  
avalanche



12 in. x 24 in.

Z5929  
blizzard



12 in. x 24 in.

Z5930  
opal



12 in. x 24 in.

Z5927  
dust



12 in. x 24 in.

Z5924  
equinox



12 in. x 24 in.

Z5940  
horizon



12 in. x 24 in.

Z5926  
earth



12 in. x 24 in.

Z5901  
rain



12 in. x 24 in.

Z5935  
jade



12 in. x 24 in.

Z5934  
moonlight



12 in. x 24 in.

Z5922  
thunderstorm



12 in. x 24 in.

Z5923  
dark sky



12 in. x 24 in.

Z5921  
shamrock



12 in. x 24 in.

Z5937  
electricity



12 in. x 24 in.

Z5933  
grey cloud



12 in. x 24 in.

Z5928  
winter solstice



12 in. x 24 in.

Z5920  
solar



12 in. x 24 in.

Z5938  
flame



12 in. x 24 in.

Standard Excelon  
Imperial™ Texture  
51910 classic black; 57518 white; out;  
57532 greyson; 57538 teal wave;  
57541 key blue; 57548 oypress

## Completing Your Specification

Armstrong Flooring has a solution for all your commercial spaces beyond flooring — with finishing touches to complete your job — like Adhesives, Wall Base, Stair Treads, Transition Strips and Maintenance products. Go to [ArmstrongFlooring.com](http://ArmstrongFlooring.com) to view our complete line.

## Limited Warranty

### FAST START® FACTORY FINISH - 5 YEAR

Commercial Warranty when installed in strict accordance with the recommended Armstrong® Flooring adhesive and detailed instructions at [ArmstrongFlooring.com](http://ArmstrongFlooring.com). Plus, 10 Additional Years of overall warranty coverage by using any Strong System™ subfloor preparation product.

### DIAMOND 10® TECHNOLOGY - 10 YEAR

Commercial Warranty when installed in strict accordance with the recommended Armstrong® Flooring adhesive and detailed instructions at [ArmstrongFlooring.com](http://ArmstrongFlooring.com). Plus, 10 Additional Years of overall warranty coverage by using any Strong System™ subfloor preparation product.

[ArmstrongFlooring.com/commercial](http://ArmstrongFlooring.com/commercial) | 1 888 276 7876



Get Inspired.



FP7440FB684-720  
© 2020 AFI Licensing LLC  
Armstrong® and Armstrong Logo are trademarks of AFI Licensing LLC  
FloorScore® is a registered trademark of the Resilient Floor Covering Institute.  
All other marks are trademarks of Armstrong Flooring, Inc., or its subsidiaries.

Colors pictured in this brochure are as accurate as possible but may not be identical to the actual product due to the printing process.  
For true color representation, order product samples before specifying.